


Quadro low support frame for wall hung toilet - White

Ref. 453 EAN Code. 5604815897869



Technical Information

Length: 400 mm

Width: 204 mm

Height: 820 mm

Weight: 13.00 kg

Collection: Quadro

Product type: Installation and Flush Systems

Material: Steel; Polypropylene

Installation type: Concealed

Features

- Application - for wall hung toilets on straight and/or low lightweight or mixed walls
- With 4 fixing points - 2 to the floor and 2 to the wall
- With double sound insulation and anti-condensation
- With anti-corrosion coating
- Equipped with dual flush mechanism pre-adjusted to 3/6Lpf
- Front wall thickness - 20 to 90mm
- Easy access to the inside for maintenance
- Fixing kit for mounting the support frame on the floor/wall and fixing kit for mounting the toilet on the support frame included
- Operating mode - pneumatic activation
- Support legs with adjustable height - 0 to 70mm
- Supported static weight - 400kg
- Water inlet position - top right, side right or side left
- The flush position can be set as top or front
- The flush volume can be adjusted according to toilet performance
- Recommended operating pressure - Lowest 0.5 - Highest 10 Bar

- Adjustable depth - 150 to 204mm
- Water inlet - G1/2"



Downloads

Assembly Instructions

[IM sanita suspensa \(PDF\)](#) ,

Technical Drawings

[453 DT \(PDF\)](#) ,

Installation Dimensions

[Cotas de Instalação Sanitas Suspensas \(PDF\)](#) ,

Instructions Manuals

[Technical Specifications 443 449 453 \(ZIP\)](#) ,

Quality, Environment and OSH

[Declaration of Performance - WC flushing cisterns \(PDF\)](#) ,

