


Quadro self-supporting frame for wall hung toilet for plasterboard walls - White

Ref. 449

EAN Code. 5604815899696



Technical Information

Length: 400 mm

Width: 180 mm

Height: 1060 mm

Weight: 15.60 kg

Collection: [Quadro](#)

Product type: Installation and Flush Systems

Material: Steel; Polypropylene

Installation type: Concealed

Features

- With 4 floor fixing points
- With double sound insulation and anti-condensation
- With anti-corrosion coating
- Equipped with dual flush mechanism pre-adjusted to 3/6Lpf
- Front wall thickness - 20 to 90mm
- Easy access to the inside for maintenance
- Fixing kit for mounting the support frame on the floor and fixing kit for mounting the toilet on the support frame included
- Operating mode - pneumatic activation
- Support legs with adjustable height - 0 to 150mm
- Supported static weight - 400kg
- Water inlet position - top right, side right or side left
- The flush position can be set as top or front
- The flush volume can be adjusted according to toilet performance
- Recommended operating pressure - Lowest 0.5 - Highest 10 Bar
- Depth not adjustable
- Water inlet - G1/2"
- Application - for wall hung toilets on straight lightweight walls

- 90/110 Flush elbow with adjustable position



Downloads

Assembly Instructions

[449 IMO \(PDF\)](#) ,

Technical Drawings

[449 DT \(PDF\)](#) ,

Installation Dimensions

[Cotas Sanitas Suspensas \(PDF\)](#) ,

Instructions Manuals

[Technical Specifications 443 449 453 \(ZIP\)](#) ,

Quality, Environment and OSH

[Declaration of Performance - WC flushing cisterns \(PDF\)](#) ,

