
## SANINDUSA

# Sanslim support frame for wall hung toilet and To-Slim flush plate - White and Chrome

Ref. 4193311 EAN Code. 5604815909852







#### **Technical Information**

Length: 485 mm Width: 85 mm Height: 787 mm Weight: 9.50 kg

Collection: Sanslim

Product type: Installation and Flush Systems

Material: Steel; PPC

Installation type: Concealed

#### Features

- With 4 wall fixing points
- With double sound insulation and anti-condensation
- With anti-corrosion coating
- Package contents Sanslim support frame and To-Slim flush plate
- Equipped with pre-set dual flush at 3/6Lpf
- Front wall thickness 15 to 110mm
- Easy access to the inside for maintenance
- Fixing kit for mounting the support frame on the wall, fixing kit for mounting the toilet on the support frame and fixing kit for mounting the plate on the support frame included
- Operating mode mechanic activation
- Supported static weight 400kg
- Water inlet position top centre
- Flush position front
- The flush volume can be adjusted between 2.5/4.5Lpf and
- 4.5/9Lpf according to toilet performance
- Recommended operating pressure Lowest 0.5 Highest 10
- Depth not adjustable



## **SANINDUSA**

- Water inlet G1/2"
- Application for wall hung toilets, built-in and fixed to masonry walls

## SANINDUSA

## **Downloads**

Water Efficiency

EH - Sanslim 4193311 e Sandouble 411023 (PDF),

**BIM Files** 

4193311 BIM Archicad (ZIP), 4193311 BIM Revit (ZIP),

2D & 3D Files

4193311 CAD 2D (DXF),

Assembly Instructions

41933 41233 IMO1 (PDF), 41933 (PDF),

**Technical Drawings** 

41933 DT (PDF),

**Installation Dimensions** 

Cotas de Instalação Sanitas Suspensas (PDF),

Components

4193311 Components (PDF),

Quality, Environment and OSH

Declaration of Performance - WC flushing cisterns (PDF) ,

