


Sanslim support frame for wall hung toilet and To-Slim flush plate - White and Chrome

Ref. 4193311 EAN Code. 5604815909852



Technical Information

Length: 485 mm

Width: 85 mm

Height: 787 mm

Weight: 9.50 kg

Collection: [Sanslim](#)

Product type: Installation and Flush Systems

Material: Steel; PPC

Installation type: Concealed

Features

- With 4 wall fixing points
- With double sound insulation and anti-condensation
- With anti-corrosion coating
- Package contents - Sanslim support frame and To-Slim flush plate
- Equipped with pre-set dual flush at 3/6Lpf
- Front wall thickness - 15 to 110mm
- Easy access to the inside for maintenance
- Fixing kit for mounting the support frame on the wall, fixing kit for mounting the toilet on the support frame and fixing kit for mounting the plate on the support frame included
- Operating mode - mechanic activation
- Supported static weight - 400kg
- Water inlet position - top centre
- Flush position - front
- The flush volume can be adjusted between 2.5/4.5Lpf and 4.5/9Lpf according to toilet performance
- Recommended operating pressure - Lowest 0.5 - Highest 10 Bar
- Depth not adjustable

- Water inlet - G1/2"
- Application - for wall hung toilets, built-in and fixed to masonry walls

Downloads

Water Efficiency

EH - Sanslim 4193311 e Sandouble 411023 (PDF) ,

BIM Files

4193311 BIM Archicad (ZIP) , 4193311 BIM Revit (ZIP) ,

2D & 3D Files

4193311 CAD 2D (DXF) ,

Assembly Instructions

41933 41233 IMO1 (PDF) , 41933 (PDF) ,

Technical Drawings

41933 DT (PDF) ,

Installation Dimensions

Cotas de Instalação Sanitas Suspensas (PDF) ,

Components

4193311 Components (PDF) ,

Quality, Environment and OSH

Declaration of Performance - WC flushing cisterns (PDF) ,